



Search for

Limits Preview/Index History Clipboard Details

Display Show Sort by Send to

About Entrez
NCBI Toolbar

All: 101 Review: 4

Text Version

Items 1 - 20 of 101

Page of 6 Next

Entrez PubMed
Overview
Help | FAQ
Tutorials
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI

Related Resources
Order Documents
NLM Mobile
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

☐ 1: [Rypka M, Cervenkova K, Uherkova L, Poczatкова H, Bogdanova K, Vesely J.](#) Related Articles, Links

Changes in mRNA levels of intracellular fatty acid metabolism regulators in human hepatoma HepG2 cells following their treatment with non-esterified fatty acids and dehydroepiandrosterone. Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub. 2005 Dec;149(2):251-6. PMID: 16601764 [PubMed - in process]

☐ 2: [Murphy EJ, Prows DR, Jefferson JR, Schroeder F.](#) Related Articles, Links

Liver fatty acid-binding protein expression in transfected fibroblasts stimulates fatty acid uptake and metabolism. Biochim Biophys Acta. 1996 Jun 11;1301(3):191-8. PMID: 8664328 [PubMed - indexed for MEDLINE]

☐ 3: [Arrol S, Mackness MI, Durrington PN.](#) Related Articles, Links

The effects of fatty acids on apolipoprotein B secretion by human hepatoma cells (HEP G2). Atherosclerosis. 2000 Jun;150(2):255-64. PMID: 10856517 [PubMed - indexed for MEDLINE]

☐ 4: [Casabiell X, Pandiella A, Casanueva FF.](#) Related Articles, Links

Regulation of epidermal-growth-factor-receptor signal transduction by cis-unsaturated fatty acids. Evidence for a protein kinase C-independent mechanism. Biochem J. 1991 Sep 15;278 (Pt 3):679-87. PMID: 1898356 [PubMed - indexed for MEDLINE]










☐ 5: [Srivastava RA, Ito H, Hess M, Srivastava N, Schonfeld G.](#) Related Articles, Links

Regulation of low density lipoprotein receptor gene expression in HepG2 and Caco2 cells by palmitate, oleate, and 25-hydroxycholesterol. J Lipid Res. 1995 Jul;36(7):1434-46. PMID: 7595067 [PubMed - indexed for MEDLINE]

☐ 6: [Keler T, Sorof S.](#) Related Articles, Links

Growth promotion of transfected hepatoma cells by liver fatty acid binding protein. J Cell Physiol. 1993 Oct;157(1):33-40. PMID: 8408240 [PubMed - indexed for MEDLINE]

☐ 7: [Sung M, Kim I, Park M, Whang Y, Lee M.](#) Related Articles, Links

-  Differential effects of dietary fatty acids on the regulation of CYP2E1 and protein kinase C in human hepatoma HepG2 cells.
J Med Food. 2004 Summer;7(2):197-203.
PMID: 15298768 [PubMed - indexed for MEDLINE]
- ☐ **8:** Meunier-Durmort C, Poirier H, Niot I, Forest C, Besnard P. [Related Articles](#), [Links](#)
-  Up-regulation of the expression of the gene for liver fatty acid-binding protein by long-chain fatty acids.
Biochem J. 1996 Oct 15;319 (Pt 2):483-7.
PMID: 8912685 [PubMed - indexed for MEDLINE]
- ☐ **9:** Poulin R, Poirier D, Merand Y, Theriault C, Belanger A, Labrie F. [Related Articles](#), [Links](#)
-  Extensive esterification of adrenal C19-delta 5-sex steroids to long-chain fatty acids in the ZR-75-1 human breast cancer cell line.
J Biol Chem. 1989 Jun 5;264(16):9335-43.
PMID: 2524485 [PubMed - indexed for MEDLINE]
- ☐ **10:** Yu HY, Inoguchi T, Kakimoto M, Nakashima N, Imamura M, Hashimoto T, Umeda F, Nawata H. [Related Articles](#), [Links](#)
-  Saturated non-esterified fatty acids stimulate de novo diacylglycerol synthesis and protein kinase c activity in cultured aortic smooth muscle cells.
Diabetologia. 2001 May;44(5):614-20.
PMID: 11380080 [PubMed - indexed for MEDLINE]
- ☐ **11:** Memon RA, Bass NM, Moser AH, Fuller J, Appel R, Grunfeld C, Feingold KR. [Related Articles](#), [Links](#)
-  Down-regulation of liver and heart specific fatty acid binding proteins by endotoxin and cytokines in vivo.
Biochim Biophys Acta. 1999 Aug 25;1440(1):118-26.
PMID: 10477831 [PubMed - indexed for MEDLINE]
- ☐ **12:** Wolfrum C, Buhlmann C, Rolf B, Borchers T, Spener F. [Related Articles](#), [Links](#)
-  Variation of liver-type fatty acid binding protein content in the human hepatoma cell line HepG2 by peroxisome proliferators and antisense RNA affects the rate of fatty acid uptake.
Biochim Biophys Acta. 1999 Feb 25;1437(2):194-201.
PMID: 10064902 [PubMed - indexed for MEDLINE]
- ☐ **13:** Dwight JF, Mendes Ribeiro AC, Hendry BM. [Related Articles](#), [Links](#)
-  Membrane incorporation of non-esterified fatty acids and effects on the sodium pump of human erythrocytes.
Clin Sci (Lond). 1992 Jan;82(1):99-104.
PMID: 1310925 [PubMed - indexed for MEDLINE]
- ☐ **14:** Landrier JF, Thomas C, Grober J, Duez H, Percevault F, Souidi M, Linard C, Staels B, Besnard P. [Related Articles](#), [Links](#)
-  Statin induction of liver fatty acid-binding protein (L-FABP) gene expression is peroxisome proliferator-activated receptor-alpha-dependent.
J Biol Chem. 2004 Oct 29;279(44):45512-8. Epub 2004 Aug 27.
PMID: 15337740 [PubMed - indexed for MEDLINE]
- ☐ **15:** Dashti N, Feng Q, Franklin FA. [Related Articles](#), [Links](#)
-  Long-term effects of cis and trans monounsaturated (18:1) and saturated (16:0) fatty acids on the synthesis and secretion of apolipoprotein A-I-

and apolipoprotein B-containing lipoproteins in HepG2 cells.
J Lipid Res. 2000 Dec;41(12):1980-90.
PMID: 11108731 [PubMed - indexed for MEDLINE]

☐ **16:** [Abadie JM, Malcom GT, Porter JR, Svec F.](#) [Related Articles](#), [Links](#)



Dehydroepiandrosterone alters Zucker rat soleus and cardiac muscle lipid profiles.

Exp Biol Med (Maywood). 2001 Sep;226(8):782-9.
PMID: 11520945 [PubMed - indexed for MEDLINE]

☐ **17:** [Wang G, Chen QM, Minuk GY, Gong Y, Burczynski FJ.](#) [Related Articles](#), [Links](#)



Enhanced expression of cytosolic fatty acid binding protein and fatty acid uptake during liver regeneration in rats.

Mol Cell Biochem. 2004 Jul;262(1-2):41-9.
PMID: 15532708 [PubMed - indexed for MEDLINE]

☐ **18:** [Kumar A, Chambers TC, Cloud-Heflin BA, Mehta KD.](#) [Related Articles](#), [Links](#)



Phorbol ester-induced low density lipoprotein receptor gene expression in HepG2 cells involves protein kinase C-mediated p42/44 MAP kinase activation.

J Lipid Res. 1997 Nov;38(11):2240-8.
PMID: 9392422 [PubMed - indexed for MEDLINE]

☐ **19:** [Menendez JA, Mehmi I, Atlas E, Colomer R, Lupu R.](#) [Related Articles](#), [Links](#)



Novel signaling molecules implicated in tumor-associated fatty acid synthase-dependent breast cancer cell proliferation and survival: Role of exogenous dietary fatty acids, p53-p21WAF1/CIP1, ERK1/2 MAPK, p27KIP1, BRCA1, and NF-kappaB.

Int J Oncol. 2004 Mar;24(3):591-608.
PMID: 14767544 [PubMed - indexed for MEDLINE]

☐ **20:** [Atshaves BP, Storey SM, Huang H, Schroeder F.](#) [Related Articles](#), [Links](#)



Liver fatty acid binding protein expression enhances branched-chain fatty acid metabolism.

Mol Cell Biochem. 2004 Apr;259(1-2):115-29.
PMID: 15124915 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 101

Page of 6 [Next](#)

Display ☐ Show ☐ Sort by ☐ Send to ☐

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Apr 4 2006 06:32:46



Search for

Limits Preview/Index History Clipboard Details

Display Show Sort by Send to

About Entrez
NCBI Toolbar

All: 217 Review: 3

Text Version

Items 1 - 20 of 217

Page of 11 Next

Entrez PubMed
Overview
Help | FAQ
Tutorials
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI

Related Resources
Order Documents
NLM Mobile
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

☐ 1: [Srivastava RA, Ito H, Hess M, Srivastava N, Schonfeld G.](#) Related Articles, Links

Regulation of low density lipoprotein receptor gene expression in HepG2 and Caco2 cells by palmitate, oleate, and 25-hydroxycholesterol.
J Lipid Res. 1995 Jul;36(7):1434-46.
PMID: 7595067 [PubMed - indexed for MEDLINE]

☐ 2: [Srivastava RA, Baumann D, Schonfeld G.](#) Related Articles, Links

In vivo regulation of low-density lipoprotein receptors by estrogen differs at the post-transcriptional level in rat and mouse.
Eur J Biochem. 1993 Sep 1;216(2):527-38. Erratum in: Eur J Biochem 1994 Feb 1;219(3):1087.
PMID: 8375391 [PubMed - indexed for MEDLINE]

☐ 3: [Taniguchi T, Chen J, Cooper AD.](#) Related Articles, Links

Regulation of cholesterol 7 alpha-hydroxylase gene expression in Hep-G2 cells. Effect of serum, bile salts, and coordinate and noncoordinate regulation with other sterol-responsive genes.
J Biol Chem. 1994 Apr 1;269(13):10071-8.
PMID: 8144506 [PubMed - indexed for MEDLINE]

☐ 4: [Srivastava RA, Jiao S, Tang JJ, Pflieger BA, Kitchens RT, Schonfeld G.](#) Related Articles, Links

In vivo regulation of low-density lipoprotein receptor and apolipoprotein B gene expressions by dietary fat and cholesterol in inbred strains of mice.
Biochim Biophys Acta. 1991 Oct 15;1086(1):29-43.
PMID: 1683257 [PubMed - indexed for MEDLINE]










☐ 5: [Pak YK, Kanuck MP, Berrios D, Briggs MR, Cooper AD, Ellsworth JL.](#) Related Articles, Links

Activation of LDL receptor gene expression in HepG2 cells by hepatocyte growth factor.
J Lipid Res. 1996 May;37(5):985-98.
PMID: 8725151 [PubMed - indexed for MEDLINE]

☐ 6: [Sorci-Thomas M, Hendricks CL, Kearns MW.](#) Related Articles, Links

HepG2 cell LDL receptor activity and the accumulation of apolipoprotein B and E in response to docosahexaenoic acid and cholesterol.
J Lipid Res. 1992 Aug;33(8):1147-56.
PMID: 1431595 [PubMed - indexed for MEDLINE]

☐ 7: [Ellsworth JL, Chandrasekaran C, Cooper AD.](#) Related Articles, Links

-  Evidence for sterol-independent regulation of low-density lipoprotein receptor activity in Hep-G2 cells.
Biochem J. 1991 Oct 1;279 (Pt 1):175-87.
PMID: 1930137 [PubMed - indexed for MEDLINE]
- ☐ **8:** [Ellsworth JL, Carlstrom AJ, Deikman J.](#) [Related Articles, Links](#)
-  Ketoconazole and 25-hydroxycholesterol produce reciprocal changes in the rate of transcription of the human LDL receptor gene.
Biochim Biophys Acta. 1994 Jan 20;1210(3):321-8.
PMID: 8305487 [PubMed - indexed for MEDLINE]
- ☐ **9:** [Yu-Poth S, Yin D, Zhao G, Kris-Etherton PM, Etherton TD.](#) [Related Articles, Links](#)
-  Conjugated linoleic acid upregulates LDL receptor gene expression in HepG2 cells.
J Nutr. 2004 Jan;134(1):68-71.
PMID: 14704295 [PubMed - indexed for MEDLINE]
- ☐ **10:** [Rumsey SC, Galeano NF, Lipschitz B, Deckelbaum RJ.](#) [Related Articles, Links](#)
-  Oleate and other long chain fatty acids stimulate low density lipoprotein receptor activity by enhancing acyl coenzyme A:cholesterol acyltransferase activity and altering intracellular regulatory cholesterol pools in cultured cells.
J Biol Chem. 1995 Apr 28;270(17):10008-16.
PMID: 7730302 [PubMed - indexed for MEDLINE]
- ☐ **11:** [Yu-Poth S, Yin D, Kris-Etherton PM, Zhao G, Etherton TD.](#) [Related Articles, Links](#)
-  Long-chain polyunsaturated fatty acids upregulate LDL receptor protein expression in fibroblasts and HepG2 cells.
J Nutr. 2005 Nov;135(11):2541-5.
PMID: 16251608 [PubMed - indexed for MEDLINE]
- ☐ **12:** [Ranheim T, Halvorsen B, Huggett AC, Blomhoff R, Drewn CA.](#) [Related Articles, Links](#)
-  Effect of a coffee lipid (cafestol) on regulation of lipid metabolism in CaCo-2 cells.
J Lipid Res. 1995 Oct;36(10):2079-89.
PMID: 8576635 [PubMed - indexed for MEDLINE]
- ☐ **13:** [Cerdeira SR, Wilkinson J 4th, Broitman SA.](#) [Related Articles, Links](#)
-  Regulation of cholesterol synthesis in four colonic adenocarcinoma cell lines.
Lipids. 1995 Dec;30(12):1083-92.
PMID: 8614298 [PubMed - indexed for MEDLINE]
- ☐ **14:** [Stopeck AT, Nicholson AC, Mancini FP, Hajjar DP.](#) [Related Articles, Links](#)
-  Cytokine regulation of low density lipoprotein receptor gene transcription in HepG2 cells.
J Biol Chem. 1993 Aug 15;268(23):17489-94.
PMID: 8349628 [PubMed - indexed for MEDLINE]
- ☐ **15:** [Goto D, Okimoto T, Ono M, Shimotsu H, Abe K, Tsujita Y, Kuwano M.](#) [Related Articles, Links](#)
-  Upregulation of low density lipoprotein receptor by gemfibrozil, a hypolipidemic agent, in human hepatoma cells through stabilization of mRNA transcripts.

Arterioscler Thromb Vasc Biol. 1997 Nov;17(11):2707-12.
PMID: 9409246 [PubMed - indexed for MEDLINE]

☐ **16:** [Wade DP, Knight BL, Soutar AK.](#)

[Related Articles](#), [Links](#)



Regulation of low-density-lipoprotein-receptor mRNA by insulin in human hepatoma Hep G2 cells.

Eur J Biochem. 1989 May 15;181(3):727-31.

PMID: 2471639 [PubMed - indexed for MEDLINE]

☐ **17:** [Liu J, Zhang YL, Spence MJ, Vestal RE, Wallace PM, Grass DS.](#) [Related Articles](#), [Links](#)



Liver LDL receptor mRNA expression is decreased in human ApoB/CETP double transgenic mice and is regulated by diet as well as the cytokine oncostatin M.

Arterioscler Thromb Vasc Biol. 1997 Nov;17(11):2948-54.

PMID: 9409281 [PubMed - indexed for MEDLINE]

☐ **18:** [Huang Y, Ghosh MJ, Lopes-Virella MF.](#)

[Related Articles](#), [Links](#)



Transcriptional and post-transcriptional regulation of LDL receptor gene expression in PMA-treated THP-1 cells by LDL-containing immune complexes.

J Lipid Res. 1997 Jan;38(1):110-20.

PMID: 9034205 [PubMed - indexed for MEDLINE]

☐ **19:** [Kumar A, Chambers TC, Cloud-Heflin BA, Mehta KD.](#)

[Related Articles](#), [Links](#)



Phorbol ester-induced low density lipoprotein receptor gene expression in HepG2 cells involves protein kinase C-mediated p42/44 MAP kinase activation.

J Lipid Res. 1997 Nov;38(11):2240-8.

PMID: 9392422 [PubMed - indexed for MEDLINE]

☐ **20:** [Murakami S, Nitana I, Uchida S, Kondo-Ohta Y, Asami Y, Kondo K, Sato M, Kawashima A, Hara H, Tomisawa K, Mei HB, Xiang CZ.](#)

[Related Articles](#), [Links](#)



Up-regulation of low density lipoprotein receptor by a novel isobenzofranone derivative, MD-700.

Atherosclerosis. 1999 Oct;146(2):281-90.

PMID: 10532684 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 217

Page

1

of 11 Next

Display

Summary



Show

20



Sort by



Send to



[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Apr 4 2006 06:32:46